

### STATE OF ALABAMA

DEPTARTMENT OF FINANCE DIVISION OF PURCHASING

INVITATION TO BID

FOR: DUST COLLECTOR REQ. AGENCY

: 012021 ALDOT - 4TH DIV : 409-040212 AGENCY REQ. NO.

T-NUMBER

DATE ISSUED

VENDOR NO. :
VENDOR PHONE NO. :
SNAP REQ. NO. : 1433331
BUYER NAME : RAY BRESSLER

BUYER PHONE NO. : (334) 242-4670-PURCHASING PHONE NO: (334) 242-7250

BID MUST BE RECEIVED BEFORE: DATE: 02/24/10 TIME: 5:00 PM

BIDS WILL BE PUBLICLY OPENED:

			: 02/25/10 TIME:		
	TO BE COMPLETED I	3Y VENDOR			
INFORMATION IN THIS SE MUST BE IN INK OR TYPE				SPONSE	
1. DELIVERY: CAN BE MAD	E DAYS (	OR WI	EEKS AFTER RECEIPT	OF ORDER	
2. TERMS:	(DISCOUNTS ARE	TAKEN WITHOUT	REGARD TO DATE OF	PAYMENT.)	
3. PRICE VALID FOR ACCE	PTANCE WITHIN	DAYS			
4. VENDOR QUOTATION REF (THIS NUMBER WILL AP					
5. E-MAIL ADDRESS:				_	
INTERNET WEBSITE: _				_	
6. GENERAL CONTRACTOR'S	LICENSE NO:			_	
TYPE OF G.C. LICENSE	:			_	
		ANT NOTE: ****			
BIDDERS MUST COMPLY ITEM 7 - COPY REQUIR		PONSE INSTRUCT	IONS" ON PAGE 2, I	O INCLUDE	
RETURN INVITATION T	O BID:				
US MA	IL		COURIER		
STATE OF ALABAMA DEPARTMENT OF FINANCE DIVISION OF PURCHASING P O BOX 302620 MONTGOMERY, AL 36130-2620		DIN RSA 100	STATE OF ALABAMA DIVISION OF PURCHASING RSA UNION BUILDING 100 N. UNION ST., SUITE 192 MONTGOMERY, AL 36104		
I HAVE READ THE ENTIRE I HERBY AFFIRM I HAVE N RESTRAINT OF FREEDOM OF REFRAIN FROM BIDDING.	OT BEEN IN ANY AGI	FURNISH EACH IT REEMENT OR COLI	TEM OFFERED AT THE LUSION AMONG BIDDE	RS IN	
SWORN TO AND	FEIN OR SSI	N	AUTHORIZED S	AUTHORIZED SIGNATURE (INK)	
SUBSCRIBED BEFORE ME TH	IS COMPANY NAI	ME	TYPE/PRINT A	TYPE/PRINT AUTHORIZED NAME	
DAY OF	MAIL ADDRES	 3S	TITLE	TITLE	
NOTARY PUBLIC	CITY, STAT	E, ZIP	TOLL FREE NU	MBER	
TERM EXP:					
	PHONE INCL	UDING AREA CODE	E FAX NUMBER		

STANDARD TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER:

TTB NO. : 10-R-2216836 OPEN DATE : 02/25/10 TIME: 10:00 AM PAGE INVITATION TO BID

2

RETURN DATE: 02/24/10 TIME: 5:00 PM

#### AUTHORITY:

THE DEPARTMENT OF FINANCE CODE OF ADMINISTRATIVE PROCEDURE, CHAPTER 355-4-1 EFFECTIVE DECEMBER 20, 2001 IS INCORPORATED BY REFERENCE AND MADE A PART OF T HIS DOCUMENT. TO RECEIVE A COPY CALL (334)242-7250, OR OUR WEBSITE WWW.PURCHASING.ALABAMA.GOV.

INFORMATION AND ASSISTANCE TO MINORITY AND WOMEN-OWNED BUSINESSES IN ACQUIRING M/WBE CERTIFICATION MAY BE OBTAINED FROM THE OFFICE OF MINORITY BUSINESS ENTERPRISE, 1-800-447-4191.

BID (ITB) RESPONSE INSTRUCTIONS REV: 01/14/10

- TO SUBMIT A RESPONSIVE BID, READ THESE INSTRUCTIONS, ALL TERMS, CONDITIONS AND SPECIFICATIONS.
- BID ENVELOPES/PACKAGES/BOXES MUST BE IDENTIFIED ON FRONT, PREFERABLY LOWER LEFT CORNER AND BE VISIBLE WITH THE BID NUMBER AND OPENING DATE. EACH INDIVIDUAL BID (IDENTIFIED BY A UNIQUE BID NUMBER) MUST BE SUBMITTED IN A SEPARATE ENVELOPE. RESPONSES TO MULTIPLE BID NUMBERS SUBMITTED IN THE SAME ENVELOPE/COURIER PACKAGE, THAT ARE NOT IN SEPARATE ENVELOPES PROPERLY IDENTIFIED, WILL BE REJECTED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR LATE BIDS FOR ANY REASON INCLUDING THOSE DUE TO POSTAL, OR COURIER SERVICE. BID RESPONSES MUST BE IN THE DIVISION OF PURCHASING OFFICE PRIOR TO THE "RECEIVE DATE AND TIME" INDICATED ON THE BID.
- BID RESPONSES (PAGE 1, PRICE SHEET AND ADDENDUMS (WHEN SIGNATURE IS REQUIRED)) MUST BE IN INK OR TYPED ON THIS DOCUMENT. OR EXACT FORMAT WITH SIGNATURES BEING HANDWRITTEN ORIGINALS IN INK (PERSON SIGNING BID, NOTARY, AND NOTARY EXPIRATION), OR THE BID WILL BE REJECTED. UNLESS INDICATED IN THE BID, ALL PRICE PAGES MUST BE COMPLETED AND RETURNED. IF AN ITEM IS NOT BEING BID, IDENTIFY IT AS NB (NO-BID). PAGES SHOULD BE SECURED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR MISSING PAGES. FAXED BID RESPONSES WILL NOT BE ACCEPTED.
- THE UNIT PRICE ALWAYS GOVERNS REGARDLESS OF THE EXTENDED AMOUNT. A UNIT PRICE CHANGE ON A LINE MUST BE INITIALED BY THE PERSON SIGNING THE BID, OR THAT LINE WILL BE REJECTED. THIS INCLUDES A CROSS-OUT, STRIKE-OVER, INK-OVER, WHITE-OUT, ERASURE, OR ANY OTHER METHOD CHANGING THE PRICE.
- A "NO BID" MUST BE RETURNED TO REMAIN ON A CLASS/SUBCLASS. RETURN PAGE 1 OR NOTIFICATION PAGE MARKED "NO-BID". IDENTIFY IT ON THE ENVELOPE AS A "NO-BID". FAILING TO RESPOND TO 3 ITB'S WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/SUBCLASS. RESPONDING WITH 6 "NO-BIDS" WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/ SUBCLASS. A "NO-BID" RECEIVED LATE IS CONSIDERED A NO RESPONSE.
- THE DIVISION OF PURCHASING IS NOT RESPONSIBLE FOR MISINTERPRETATION OF DATA FAXED FROM THIS OFFICE.
- THE DIVISION OF PURCHASING REQUIRES AN ORIGINAL AND A MINIMUM OF ONE COMPLETE EXACT COPY (TO INCLUDE SIGNATURE AND NOTARY) OF THE INVITATION-TO-BID RESPONSE. THE ORIGINAL AND THE COPY SHOULD BE SUBMITTED TOGETHER AS A BID PACKAGE. FAILURE TO MARK RESPONSES AS "ORIGINAL" AND/OR "COPY" COULD RESULT IN THE ENTIRE BID RESPONSE BEING REJECTED.
- AN IMPROPERLY SUBMITTED BID, LATE BID, OR BID THAT IS CANCELLED ON OR BEFORE THE OPENING DATE WILL BE HELD FOR 90 DAYS AND THEN DESTROYED. THE BID MUST BE RETRIEVED DURING REGULAR WORK HOURS, MONDAY FRIDAY, EXCEPT STATE HOLIDAYS. AFTER THE BID IS DESTROYED, THE DIVISION OF PURCHASING ASSUMES NO RESPONSIBILITY FOR THE DOCUMENT.

#### DISQUALIFIED/CANCELLED BID

BIDS THAT ARE IMPROPERLY SUBMITTED OR RECEIVED LATE WILL BE A RESPONSE FOR RECORD, BUT WILL NOT BE RETURNED OR A NOTIFICATION MAILED.

THE FOLLOWING IS A PARTIAL LIST WHEREBY A BID RESPONSE WILL BE DISOUALIFIED:

BID NUMBER NOT ON FACE OF ENVELOPE/COURIER PACKAGE/BOX RESPONSES TO MULTIPLE BID NUMBERS IN SAME ENVELOPE NOT PROPERLY IDENTIFIED

BID RECEIVED LATE

BID NOT SIGNED/NOT ORIGINAL SIGNATURE

BID NOT NOTARIZED/NOT ORIGINAL SIGNATURE OF NOTARY AND/OR NO NOTARY EXPIRATION

NOTARIZED OWN SIGNATURE

REQUIRED INFORMATION NOT SUBMITTED WITH BID FAILURE TO SUBMIT THE ORIGINAL BID AND A COMPLETE EXACT COPY

#### CERTIFICATION PURSUANT TO ACT NO. 2006-557

ALABAMA LAW (SECTION 41-4-116, CODE OF ALABAMA 1975) PROVIDES THAT EVERY BID SUBMITTED AND CONTRACT ALABAMA LAW (SECTION 41-4-116, CODE OF ALABAMA 1975) PROVIDES THAT EVERY BID SUBMITTED AND CONTRACT EXECUTED SHALL CONTAIN A CERTIFICATION THAT THE VENDOR, CONTRACTOR, AND ALL OF ITS AFFILIATES THAT MAKE SALES FOR DELIVERY INTO ALABAMA OR LEASES FOR USE IN ALABAMA ARE REGISTERED, COLLECTING, AND REMITTING ALABAMA STATE AND LOCAL SALES, USE, AND/OR LEASE TAX ON ALL TAXABLE SALES AND LEASES INTO ALABAMA. BY SUBMITTING THIS BID, THE BIDDER IS HEARBY CERTIFYING THAT THEY ARE IN FULL COMPLIANCE WITH ACT NO. 2006-557, THEY ARE NOT BARRED FROM BIDDING OR ENTERING INTO A CONTRACT PURSUANT TO 41-4-116, AND ACKNOWLEDGES THAT THE AWARDING AUTHORITY MAY DECLARE THE CONTRACT VOID IF THE CERTIFICATION IS FALSE. SPECIAL TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER:

INVITATION TO BID

TTB NO. : 10-R-2216836 OPEN DATE : 02/25/10 TIME: 10:00 AM

PAGE

3

RETURN DATE: 02/24/10 TIME: 5:00 PM

#### INTENT TO AWARD

EFFECTIVE MAY 1, 2008, THE STATE OF ALABAMA - DIVISION OF PURCHASING WILL ISSUE AN 'INTENT TO AWARD' BEFORE A FINAL AWARD IS MADE. THE 'INTENT TO AWARD' WILL CONTINUE FOR A PERIOD OF FIVE (5) CALENDAR DAYS, AFTER WHICH A PURCHASE ORDER WILL BE PRODUCED. UPON FINAL AWARD, ALL RIGHTS TO PROTEST ARE FORFEITED. A DETAILED EXPLANATION OF THIS PROCESS MAY BE REVIEWED IN THE ALABAMA ADMINISTRATIVE CODE - CHAPTER 355-4-1(14).

ALTERNATE BID RESPONSE
UNLESS STATED ELSEWHERE IN THIS INVITATION-TO-BID (ITB) THE STATE OF
ALABAMA WILL ACCEPT AND EVALUATE ALTERNATE BID SUBMITTALS ON ANY
ITB'S. ALTERNATE BID RESPONSES WILL BE EVALUATED ACCORDING TO THE
REQUIREMENTS AS ALL OTHER RESPONSES TO THIS ITB.

#### INTERNET WEBSITE LINK'S

INTERNET AND/OR WEBSITE LINKS WILL NOT BE ACCEPTED IN BID RESPONSES AS A MEANS TO SUPPLY ANY REQUIREMENTS STATED IN THIS ITB (INVITATION-TO-BID).

PRODUCT DELIVERY, RECEIVING AND ACCEPTANCE IN ACCORDANCE WITH THE UNIVERSAL COMMERCE CODE (CODE OF ALABAMA, TITLE 7), AFTER DELIVERY, THE STATE OF ALABAMA HAS THE RIGHT TO INSPECT ALL PRODUCTS BEFORE ACCEPTING. THE STATE WILL INSPECT PRODUCTS IN A REASONABLE TIMEFRAME. SIGNATURE ON A DELIVERY DOCUMENT DOES NOT CONSTITUTE ACCEPTANCE BY THE STATE. THE STATE WILL ACCEPT PRODUCTS ONLY AFTER SATISFACTORY INSPECTION.

#### SALES TAX EXEMPTION

PURSUANT TO THE CODE OF ALABAMA, 1975, TITLE 40-23-4 (A) (11), THE STATE OF ALABAMA IS EXEMPT FROM PAYING SALES TAX. AN EXEMPTION LETTER WILL BE FURNISHED UPON REQUEST.

#### INVOICES

INQUIRIES CONCERNING PAYMENT AFTER INVOICES HAVE BEEN SUBMITTED ARE TO BE DIRECTED TO THE RECEIVING AGENCY, NOT THE DIVISION OF PURCHASING

#### BID RESPONSES AND BID RESULTS

UNEVALUATED BID RESPONSES (NOT BID RESULTS) ARE AVAILABLE ON OUR WEB SITE AT WWW.PURCHASING.ALABAMA.GOV. BID RESULTS WILL BE MADE AVAILABLE FOR REVIEW IN THE DIVISION OF PURCHASING OFFICE, BUT ONLY AFTER THE BID HAS BEEN AWARDED. WE DO NOT FAX OR MAIL COPIES OF BID RESULTS. IF A VENDOR WISHES TO REVIEW BID RESULTS IN OUR OFFICE, THEY SHOULD FAX THEIR REQUEST TO REVIEW THE BID TWO DAYS IN ADVANCE TO THE "BID REVIEW CLERK" AT (334) 242-4419. BE SURE TO REFERENCE THE BID NUMBER.

#### FOREIGN CORPORATION - CERTIFICATE OF AUTHORITY

ALABAMA LAW PROVIDES THAT A FOREIGN CORPORATION (AN OUT-OF-STATE COMPANY/FIRM) MAY NOT TRANSACT BUSINESS IN THE STATE OF ALABAMA UNTIL TI OBTAINS A CERTIFICATE OF AUTHORITY FROM THE SECRETARY OF STATE. SECTION 10-2B-15.01, CODE OF ALABAMA 1975. TO OBTAIN FORMS FOR A CERTIFICATE OF AUTHORITY, CONTACT THE SECRETARY OF STATE, CORPORATIONS DIVISION, (334) 242-5324. THE CERTIFICATE OF AUTHORITY DOES NOT KEEP THE VENDOR FROM SUBMITTING A BID.

#### BID IDENTIFICATION

REFERENCE PAGE 2, ITEM 2. DUE TO THE POSTAL SERVICE PUTTING BAR CODE LABELS ON ENVELOPES, IT CONCEALS THE BID NUMBER AND DATE IF THE VENDOR HAS WRITTEN THEM OTHER THAN THE LOWER LEFT CORNER, THEREFORE THE BID WOULD BE REJECTED FOR NOT BEING PROPERLY IDENTIFIED.

SPECIAL TERMS & CONDITIONS

VENDOR NAME

VENDOR NUMBER:

TTB NO. : 10-R-2216836 OPEN DATE : 02/25/10 TIME: 10:00 AM INVITATION TO BID

RETURN DATE: 02/24/10 TIME: 5:00 PM

PAGE

4

#### AWARD:

AWARD WILL BE MADE "ALL OR NONE" TO THE LOWEST RESPONSIBLE BIDDER MEETING ALL SPECIFICATIONS.

#### NON-APPROPRIATION OF FUNDS:

CONTINUATION OF ANY AGREEMENT BETWEEN THE STATE AND A BIDDER BEYOND A FISCAL YEAR IS CONTINGENT UPON CONTINUED LEGISLATIVE APPROPRIATION OF FISCAL YEAR IS CONTINGENT UPON CONTINUED LEGISLATIVE APPROPRIATION OF FUNDS FOR THE PURPOSE OF THIS BID AND ANY RESULTING AGREEMENT. NON-AVAILABILITY OF FUNDS AT ANY TIME SHALL CAUSE ANY AGREEMENT TO BECOME VOID AND UNENFORCEABLE AND NO LIQUIDATED DAMAGES SHALL ACCRUE TO THE STATE AS A RESULT. THE STATE WILL NOT INCUR LIABILITY BEYOND THE PAYMENT OF ACCRUED AGREEMENT PAYMENT.

#### PRORATION:

PRORATION:
ANY PROVISION OF A CONTRACT RESULTING FROM THIS BID TO THE CONTRARY
NOTWITHSTANDING, IN THE EVENT OF FAILURE OF THE STATE TO MAKE PAYMENT
HEREUNDER AS A RESULT OF PARTIAL UNAVAILABILITY, AT THE TIME SUCH
PAYMENT IS DUE, OF SUCH SUFFICIENT REVENUES OF THE STATE TO MAKE SUCH
PAYMENT (PRORATION OF APPROPRIATED FUNDS FOR THE STATE HAVING BEEN
DECLARED BY THE GOVERNOR PURSUANT TO SECTION 41-4-90 OF THE CODE OF
ALABAMA 1975), THE CONTRACTOR SHALL HAVE THE OPTION, IN ADDITION TO
THE OTHER REMEDIES OF THE CONTRACT, OF RENEGOTIATING THE CONTRACT
(EXTENDING OR CHANGING PAYMENT TERMS OR AMOUNTS) OR TERMINATING THE CONTRACT.

MANUFACTURER, STOCK/MODEL NUMBERS: AT THE END OF EACH ITEM WHERE SPACES ARE MARKED "MFR" AND "NO.", VENDOR IS TO INDICATE THE MANUFACTURER & ALL STOCK/MODEL NUMBERS NECESSARY TO COMPLETE EACH UNIT AS SPECIFIED.

#### DESCRIPTIVE LITERATURE:

THE BRANDS AND MODEL NUMBERS REFERENCED PROVIDE A LEVEL OF QUALITY, AND UNLESS OTHERWISE SPECIFIED, ARE NOT RESTRICTIVE. VENDORS BIDDING AND UNLESS OTHERWISE SPECIFIED, ARE NOT RESTRICTIVE. VENDORS BIDDING ALTERNATE ITEMS MUST PROVIDE COMPLETE DESCRIPTIVE/TECHNICAL LITERATURE FOR CONSIDERATION AND EVALUATION WITH THEIR BID, AND WITH THE BID COPY PER ITEM NUMBER 7 ON PAGE 2. REFERENCE TO LITERATURE WITH A PREVIOUS BID WILL NOT SATISFY THIS REQUIREMENT. FAILURE TO PROVIDE THE REQUIRED LITERATURE WILL RESULT IN THE REJECTION OF THE BID. PHYSICAL INSPECTION AND OPERATIONAL EVALUATION MAY ALSO BE REQUIRED WITHOUT COST OR OBLIGATION TO THE STATE OF ALABAMA.

#### NEW FOULDMENT:

ALL EQUIPMENT MUST BE NEW AND UNUSED AND ACCEPTABLE BY THE ORIGINAL EQUIPMENT MANUFACTURER FOR THEIR MAINTENANCE.

#### REQUIRED DOCUMENTS:

A COPY OF THE MAINTENANCE/OPERATIONS MANUAL, MANUFACTURER'S WARRANTY AND A COMPLETE REPLACEMENT PARTS LIST IS REQUIRED WITH EACH ITEM.

BLANK LINES:
TO EVALUATE THE BID IN AN EFFICIENT MANNER, THE VENDOR SHOULD FILL-IN ALL BLANK LINES APPLICABLE TO A SPECIFIC COMMODITY DESCRIPTION.

## REQUESTED INFORMATION:

ANY ADDITIONAL INFORMATION REQUESTED FROM A VENDOR MUST BE FURNISHED WITHIN TEN (10) DAYS FROM RECEIPT OF REQUEST.

PRICE SHEET VENDOR NAME :

EA

VENDOR NUMBER: - ITB NO. : 10-R-2216836 OPEN DATE : 02/25/10 TIME: 10:00 AM PAGE INVITATION TO BID

RETURN DATE: 02/24/10 TIME: 5:00 PM

5

LINE EXTENDED

NO. COMMODITY/SERVICE DESCRIPTION QUANTITY UNIT UNIT PRICE AMOUNT

UNLESS SPECIFIED OTHERWISE BELOW: SHIP TO: 012021 / 012M01 ALDOT - 4TH DIV

ALEXANDER CITY

35010 AL

00001 COMMODITY CODE: 031-34-082872 DUST COLLECTOR, 4300 CFM 7.5 HP TEFC MOTOR VOLTAGE 230/460, 3 PHASE PLEASE SEE ATTACHED SPECIFICATIONS.

MFR: NO: DIVERSI-TECH INC DD3X6 OR EQUAL

EACH BIDDER MUST FILL-IN BLANK LINES ABOVE - EVEN IF BIDDING AS SPECIFIED OR BID MAY BE REJECTED. THOSE BIDDING AN EQUAL MUST REFERENCE AND ATTACH DESCRIPTIVE LITERATURE FOR EQUAL BID.

READ BID INSTRUCTIONS ITEMS 1-8 P.2

READ BID THOROUGHLY, FILL OUT BID AS REQUIRED, RETURN ORIGINAL BID AND RETURN ONE COMPLETE EXACT COPY OF ORIGINAL BID TO PURCHASING TO BE CONSIDERED FOR AWARD

\*\*\*\*\*\*\*\*\*\*\*

PAGE TOTAL			
BID TOTAL			

# 10-R-2216836 409-040212 1433331

## Bid Specification Sheet for Item Downdraft Table Model DD3X6 Specifications

- The downdraft table shall be designed for safe and effective capture of dust from dry dirt.
- The downdraft tables' work surface dimensions shall be 72" wide x 36" deep and the table height shall be 36".
- The downdraft table shall have a 7"dia x 8' long capture arm mounted to the right side of the table, complete with mounting bracket, flexhose, inlet collar, blast gate, and suction hood. Capture arm must be powder coat primed and painted dark gray.
- The downdraft table shall have a compressed air inlet for 1/4"dia. air line. The
  inlet shall be located on the front left side of the table.
- The downdraft table shall be configured for left side discharge.
- The downdraft table shall have 2 filter cartridges, vertical configuration, fire-retardant, 80/20 cellulose paper pleated media, 12.75" dia (8.375" inner diameter) x 16" long with top 14' x 16" flange. Each filter must have 139sqft of media. Filtration efficiency to be 99.8% @ 0.5 microns. Filter gasket shall be 1/2" x 3/8" x 10.09" ID isoprene sponge applied on flange end. Inner and outer filter retainer shall be electro galvanized expanded metal 3/8" x 5/8" 72% open area, with screen seam protector. Permeability shall be 14 cfm/ft² @ 0.5" wg.
- The downdraft table shall have 1 filter door for the 2 filter cartridges, with a dust drawer underneath the filter cartridges. There shall be no tools required to access the filter cartridges.
- There shall be a set of non dust-re entrainment v-baffles located above the dust drawer, in order to prevent dust from being re-entrained into the filters when the downdraft table is turned on.
- The downdraft table shall include 2"high legs underneath, for forklift access.
- The downdraft table surface shall be composed of 3 perforated galvanized steel grills each 24" x 36". Perforations to be ¼"dia holes. Underneath the perforated steel grills there shall be 3 inlet baffle trays that will equalize the airflow across the table's surface. The openings in the baffle trays shall be 16"x25".
- The downdraft table shall have a 7.5HP TEFC 213T 230/460v/3/60 motor with a 15" dia. Backward inclined, flat blade aluminum blower wheel delivering an airflow of 4300cfm @ 4" SP wg. This shall be a direct-drive configuration.
- The downdraft table shall include a silencer with expanded metal on its outer face.
- The downdraft table shall have a filter cleaning system comprised of the following components: air tank integrated inside the downdraft table, safety valve, air valve, solenoid valve and compressed air piping leading towards the inlet of the 2 filters.
- The filter cleaning system must have the feature of allowing the user to choose online or offline filter pulsing, ½

second or 1 second pulse duration, and # of pulses (5,10,20 or 30) The cleaning system shall use Reverse Pulse technology.

- The control panel enclosure shall be NEMA 12 and shall include a contactor, overload, start/stop, reset, transformer, fuses and a PC board to control the filter cleaning system
- The control panel must be CSA/UL Approved.
- The downdraft table shall be constructed of 14 and 16ga. reinforced mild steel, powder coat primed and painted dark gray.

